

DIRECTORATE OF INTELLIGENCE

2 6 GCT 1984

MEMORANDUM FOR:	Robert Pelletreau Deputy Assistant Secretary for Near Eastern and South Asian Affairs	
	Department of State	
FROM:	Director of Global Issues	25X
SUBJECT:	Syrian Use of Yarmuk River Water	25X
1. The att our estimate of	ached memorandum presents an updated version Syrian water diversion from Yarmuk River	
		25X1
some return flow the net effect w	The most important changes resulted from t-irrigation water consumption and subtracti to the Yarmuk of water used by Syria. Alt as to reduce our estimate, the total Syrian	ng hough
continue to incr	ll significant to Jordan and Israel and wil	1 25X1
springs will be as it is availab	etailing the locations of Syrian reservoirs published shortly and will be forwarded as le. Other portions of our work on Yarmuk R nd Israelare in process and will be prese re completed.	soon iver
	morandum was prepared by	Near 25X
East Branch, Geo	graphy Division, Office of Global Issues.	25X
4. Comment and may be addre	s and suggestions on this memorandum are we ssed to the Chief, Geography Division, OGI,	lcome on 25X
		207
		25X1
Attachment: Svria: Use of	Yarmuk River Water Sources	25X
GI M 84 10181	October 1984,	25X
<u> </u>		25X
		25X

Sanitized Copy Approved for Release 2010/08/23: CIA-RDP85T00287R001200530001-2

Sanitized Copy Approved for Release 2010/08/23: CIA-RDP85T00287R001200530001-2

25X1

25X1

1 - Ch/GD/NE
8 - OGI/PG

25X1



Washington, D. C. 20505

DIRECTORATE OF INTELLIGENCE	
Syria: Use of Yarmuk River Water Sources	25 X 1
Summary	
We estimate that Syria's use of Yarmuk River water is approximately 210 million cubic meters (mcm) annually and that consumption is increasing steadily. This total includes approximately 185 mcm for irrigation, and 25 mcm for domestic, industrial, and animal consumption. We believe that about one—third of this water returns to the watershed's aquifers and streams as runoff. The net diversion of Yarmuk water by Syria is therefore on the order of 140 mcm (4.4 m³ per second on an annual basis), or nearly one—third of the river's historic annual flow. This reduction of the Yarmuk's flow takes place in all months, but is probably greater during the peak irrigation season in summer. In future years, as Syria's new water requirements are increasingly met from stored reservoir water, a larger share of the total diversion requirements will come from winter runoff. Our estimate of annual Syrian water usage is based primarily on analysis of the amount of land that is irrigated by Syria in the Yarmuk Basin, because Syria—like Israel and Jordan—does not	25X1 25X1
publish official statistics on actual water usage from the Yarmuk.	7 .
AGEMON 6	25X1
	25X1
This memorandum was prepared by Geography Division, Office of Global Issues. The information is updated to	
October 1984. Comments may be directed to Chapter Division Chapter Cha	ief,
	25 X 1
•	25X1
GI M 84-10181	25 X 1

Sanitized Copy Approved for Release 2010/08/23: CIA-RDP85T00287R001200530001-2

Syria: Use of Yarmuk River Water Sources

Irrigated Area in Syria's Yarmuk Basin

Irrigated agriculture has been an important activity in this part of southwestern Syria since at least the 1950's. According to calculations prepared for the Johnston mission in 1954, Syria planned to irrigate 68,000 dunams on the Yarmuk Plateau by tapping water from seven springs that feed Yarmuk tributaries. The annual water requirement for this area was estimated at 1000 m³ per dunam, or 68 mcm annually. Because some of this water would return to the streams, the annual depletion was estimated at no more than 48 mcm upon full development of the irrigable area. To supply other Syrian irrigated areas in the Yarmuk gorge and on what is now the Israeli-occupied Golan Heights, the Johnston Plan allocated Syria an additional 22 mcm, for a total of 90 mcms from the Yarmuk River.

Since the 1950s Syrian agricultural development has far outstripped these plans. By the mid 1970s Syria had placed more than 100,000 dunams under irrigation in Dar'a and Al Qunaytirah Governorates. Most of the water was obtained from springs that feed Yarmuk tributaries, although in the 1970s some reservoirs were built to catch surface runoff. The amount of area irrigated in any given year depended on the amount of water available during the irrigation season from the previous winter's Double-cropping (mainly tomatoes and other vegetables in summer, and winter wheat and vegetables in the winter/spring season) was widely practiced. Even with double-cropping, however, because of water shortages the total area in crops was less than the area available for irrigation. For example, during the summer season only about 60 percent of the area reported as irrigated land actually produced crops (table 1).

The following discussion focuses on the portion of the Yarmuk Basin that is now under Syrian control. It notes, however, that Israeli reservoirs in the Golan Heights portion of the Yarmuk Basin have a current capacity of about 10 mcm. Total Israeli water use on the Golan Heights is on the order of 35 mcm annually.

GI M 84-10181

25X1

25X1

25X1

Sanitized Copy Approved for Release 2010/08/23: CIA-RDP85T00287R001200530001-2

25X1

TABLE 1

Irrigation Agriculture in Dar'a and Al Qunaytirah Governorates (dunams)

	1975	1976	1977
Winter Crops (total)	30,170	39,270	37,190
Wheat & Barley	13,300	23,820	24,500
Vegetables	16,870	15,390	12,690
			·~
Summer Crops (total)	41,170	88,370	67,380
Maize	5,400	5,120	13,770
Tomatoes	17,530	21,350	24,040
Other Vegetables	18,240	61,900	29,570
Perennial Fruit Crops	9,340	10,470	11,800
Total Crop Area	80,680	138,050	116,370
Irrigated Land	91,990 -	155,010	124.370

Since 1977 official information has not been available on the amount of land that actually produced crops or since 1982 on the amount of land classified as irrigated (table 2). Nevertheless, information on new reservoir construction and well drilling indicates that there has been a significant increase in irrigation water availability and use. For example, references in the Syrian media to the amount of irrigated land associated with individual reservoir construction projects cite a total of 163,000 dunams that will be irrigated when the projects are completed (table 3). Presumably the greater availability of water from these reservoirs will allow an increasing share of this irrigated area to be cropped in both winter and summer. Based on the available data, we believe that the total irrigated area (assuming normal rainfall) now averages at least 150,000 dunams and that the total area of irrigated crops is at least 160,000 dunams because of more widespread double cropping. amount of crop land would require about 184 mcm of water annually. 1 Completion of all the reservoir and irrigation canal projects now under construction will probably increase total irrigation water usage to at least 200 mcm during the next several years.


25X1

¹Assumes an average crop requirement of 700 m³ per dunam at 60 percent system efficiency, requiring 1150 m³/yr./dunam.

TABLE 2

Irrigated Area and Rainfall in Syria's Yarmuk Basin (1000 dunams)

Year	Irrig. Land	Actually Cropped	Rainfall at Dar'a Amount (mm) Years
1973	82		196 (low) 1972-1973
1974	90		389 (high) 1973-1974
1975	91	81	141 (low) 1974-1975
1976	155	138	253 (ave) 1975-1976
1977	124	116	222 (low) 1976-1977
1978	100	952	183 (low) 1977-1978
1979	130	1252	120 (low) 1978-1979
1980	120	1202	362 (high) 1979-1980
1981	140	1452	(ave) 1980-1981
1982	140	1452	(low) 1981-1982
1983	150 ²	155 ²	(high) 1982-1983
1984	150 ²	160 ²	(ave) 1983-1984



²Estimated.

25X1 25X1

25X1

5

25X1

25X1

25X1

Springs

Syria's Yarmuk Basin contains 45 springs that produce an average of 145 mcm of water per year, or about a third of the Yarmuk's historic flow. Although only scattered usage data are available, we believe that most of this spring water is tapped at or near its source for irrigation projects. The largest spring, at Muzayrib, produces on average 44 mcm annually and supplies a major irrigation project. Like streamflow, spring flow depends on annual precipitation; output of the Muzayrib spring ranged from 20 mcm following the dry 1972-73 season to 50 mcm after the wetter year in 1975-76.

in the late 1970's springs supplied water to at least 78,000 dunams of irrigated land in the Yarmuk basin. We believe this amount is increasing, although most subsequent expansion of water supplies has come from reservoirs and wells.

Reservoirs

Syria began building dams in the Yarmuk Basin in about 1970 to catch surface runoff during the winter and the perennial flow of springs feeding Yarmuk Tributaries. The first reservoir to be completed was a 15 mcm capacity facility at Dar'a. By 1978 reservoirs in the Yarmuk Basin had a combined capacity of 25 mcm and others with a capacity of 33 mcm were under construction. Most reservoirs were designed almost entirely for irrigation purposes; a few of the smaller ones in the eastern part of the basin were built for municipal uses. In addition, at least a dozen smaller water catchments that probably serve as stockwatering ponds were built on smaller tributaries. At the present time, we estimate that 15 Syrian dams have been completed or are under construction in the Yarmuk Basin with a combined capacity of about 81 mcm. We are not able to estimate the amount of water they actually divert from the Yarmuk because we cannot estimate how much of their capacites are filled and we do not know if the irrigation systems associated with even the completed reservoirs are in full operation. I Nevertheless, the resevoirs have clearly contributed to a significant reduction in the Yarmuk's flow, particularly since 1980.

Theoretically, the amount of water withdrawn from a reservoir could be much larger than the one-time storage capacity because filling and withdrawing could take place during the entire year.

25X1

25X1

6

TABLE 3

Reservoirs in the Yarmuk Basin

Reservoirs	s in the Ya	rmuk Basin		
			Associated Irrigated Land ¹	
Name	Capacity	Year Built	(dunams)	
SYRIA ²	81.6		163,000	
 Ruwayhinah Al Hajjah (Radimneh ?) Ar Rafid (Buraykeh ?) Ghadir al Bustan (Tasil) Shaykh Miskin Ibta, East Ibta, West Adwan Jallin (Abdeen/Shajara) Rum Al Musayfirah Sahaweh Dar'a Habran Al Ain 	2.0 3.0 6.0 ³ 12.0 15.0 3.0 1.0 6.5 4.6 3.0 ³ 1.0 15.0 2.0 1.5	1982-84 1980-81 U/C 1983 1982 Mid-70's Mid-70's U/C 1980-83 1978 1980-81 1980 early 70's 1981 19664	1,300 1,000 10,000 34,000 20,000 5,000	
ISRAELI-OCCUPIED GOLAN HEIGHTS	9.5			-
<pre>16. Merom Golan 17. Yonatan (Syrian built) 18. Hital (Avne Etan)</pre>	3.0 ³ 1.5 ³ 5.0			
JORDAN	2.0			
19. Az Zumlah	2.0			
lrrigated land identified with s supplied from springs and wells (annual yield of 44 mcm, is probab project).	e.g. Muzavr	rih spring, w	ith an aughaga	25X1
² Numbers correspond to reservoir	numbers on	accompanying	map.	25X1
³ Estimated				25 X 1
4 Being expanded from 0.6 to 1.5 m	cm		25	5X1
				25X1

7

<u>Wells</u>	25X1
Wells supply only a small share of the water used in the Yarmuk Basin, probably less than 10 mcm annually. observers report that Dar'a and Al Qunaytirah Governorates contain several hundred wells, including a number of drill rigs, but do not provide their combined output.	25X1
a large Libyan-financed project with 30 wells produces about 1.2 mcm; another notes that 17 government test wells produce 1 mcm annually. 2 Many of the other wells in the area are probably small, shallow wells owned by individual farmers.	≨25X1 25X1
Domestic, Industrial, and Animal Consumption	
We estimate that the apporximately 650,000 inhabitants of Syria's Yarmuk Basin consume about 25 mcm of water annually, of which about 22 mcm is for household and industrial use and 3 mcm for livestock. The estimate of human use is based on the assumption that per capita consumption is 100 liters per day, a typical but by no means uniform figure for parts of Syria and Jordan. Continued population growth at rates above 3 percent and improved water services could easily double this usage by the year 2000.	25X1

2	Annual	totals are based on the	
assumption that wells month growing season.	operate for	12 hours per day during	a six

25**X**1

25X1

2

